

**Listing of the Claims:**

Claims 1- 31: (Cancelled).

Claim 32: (Previously Presented) The apparatus according to claim 59, wherein the selected service comprises a calendar service.

Claim 33: (Previously Presented) The apparatus according to claim 59, wherein the selected service comprises a login service.

Claim 34: (Previously Presented) The apparatus according to claim 59, wherein the template is selected from a plurality of templates based on the selected service.

Claim 35: (Previously Presented) The apparatus according to claim 34, wherein each template of the plurality of templates is specific to one of a plurality of services.

Claims 36- 46: (Cancelled).

Claim 47: (Previously Presented) The apparatus according to claim 35, wherein each template is further specific to one of a plurality of device types.

Claims 48-49: (Cancelled).

Claim 50: (Previously Presented) The apparatus according to claim 59, wherein:  
the selection of the service is received from a browser configured to operate on the terminal.

Claim 51: (Previously Presented) The apparatus according to claim 59, wherein the data is further converted based on a user profile specifying a preferred language.

Claims 52-55: (Cancelled).

Claim 56: (Previously Presented) The apparatus of claim 59, wherein the selected template further includes instructions for formatting a layout of the data associated with the selected service.

Claim 57: (Cancelled).

Claim 58: (Previously Presented) An apparatus, comprising:  
a request handler control configured to receive a request for data from a terminal;  
a server control configured to:  
determine response data responsive to the request; and  
select a response template for processing the response data, the response template including instructions for converting the response data from a first language format to a second language format, wherein the second language format is selected based on one or more attributes of the terminal;  
a page generator configured to process the response data according to the selected response template and a user profile associated with the terminal; and  
a HTML control configured to send a response including the processed response data to the terminal.

Claim 59: (Previously Presented) An apparatus comprising:  
a processor; and  
memory configured to store computer readable instructions that, when executed by the processor, cause the apparatus to perform a method comprising:  
receiving, at the apparatus, a selection of a service from a terminal through a communication network;  
identifying one or more attributes of the terminal;  
selecting a template including instructions for converting data associated with the service selected by the terminal from a first language format to a second language format,

wherein the second language format is selected based on the one or more attributes of the terminal;

converting the data associated with the selected service based on the template; and  
transmitting a response including the converted data to the terminal.

Claim 60: (Previously Presented) The apparatus of claim 59, wherein the template is selected based on a size of a display of the terminal and a capability of the terminal to support a signalling protocol.

Claim 61: (Cancelled).

Claim 62: (Previously Presented) A method comprising:  
receiving, at a server, a selection of a service from a terminal;  
identifying one or more attributes of the terminal;  
identifying a template including instructions for converting data associated with the service selected by the terminal from a first language format to a second language format, wherein the second language format is selected based on the one or more attributes of the terminal;

converting the data associated with the selected service based on the template; and  
transmitting a response including the converted data to the terminal.

Claim 63: (Previously Presented) The method of claim 62, wherein the one or more attributes of the terminal includes a signaling support capability of the terminal.

Claim 64: (Previously Presented) The method of claim 62, further comprising  
modifying the data associated with the selected service according to a user profile associated with the terminal.

Claims 65-70: (Cancelled).

Claim 71: (Previously Presented) The method of claim 62, wherein the template is identified from a plurality of templates, each of the plurality of templates is specific to one of a plurality of services.

Claim 72: (Previously Presented) The method of claim 62, wherein the first language format is not compatible with the terminal and the second language format is compatible with the terminal.

Claim 73: (Previously Presented) The apparatus of claim 58, wherein the first language format is not compatible with the terminal and the second language format is compatible with the terminal.

Claim 74: (Previously Presented) The apparatus of claim 58, wherein the response template is selected from a plurality of response templates, each of the plurality of response templates being specific to one of a plurality of services.